

| FABRICS/SUNSCREENS | FIRE RETARDANCY | | | | HD TIER | OPACITY |
|--|--------------------|-----------------------|--------------------|-----------------------|--|-------------|
| | Ignitability Index | Spread of flame index | Heat Evolved Index | Smoke Developed Index | | |
| | 0-20 | 0-10 | 0-10 | 0-10 | | |
| GREENSCREEN NRG 3% metallised | 0 | 0 | 0 | 0-1 | HD Tier 1: Complies with the General Requirements of the Building Code of Australia for Fire Hazard properties of materials in buildings. | SUNSCREEN |
| TITANIUM / VENUS | 0 | 0 | 0 | 0-1 | | TRANSLUCENT |
| PLATINUM / NEPTUNE | 0 | 0 | 0 | 0-1 | | TRANSLUCENT |
| PATINASHEER/BELLASHEER | 0 | 0 | 0 | 0-1 | | SHEER |
| MIST / ATLAS | 0 | 0 | 0 | 0-1 | | SHEER |
| CASABLANCA/MARRAKECH TRANS | 0 | 0 | 0 | 0-1 | | TRANSLUCENT |
| CASABLANCA/MARRAKECH SHEER | 0 | 0 | 0 | 0-1 | | SHEER |
| CARNABY/BALTIC TRANSLUCENT | 0 | 0 | 0 | 0-1 | | TRANSLUCENT |
| NATURALS COLLECTION / STRIPE | 0 | 0 | 0 | 1 | | TRANSLUCENT |
| GREENSCREEN NRG METALLISED | 0 | 0 | 0 | 1 | | SUNSCREEN |
| BALTIC TRANS | 0 | 0 | 0 | 1 | TRANSLUCENT | |
| LINSCREEN 3% /AURASCREEN | 0 | 0 | 0 | 3 | HD Tier 2: Complies with the General Requirements of the Building Code of Australia for Fire Hazard properties of materials in buildings. Not Suitable for use in fire isolated exits of buildings | SUNSCREEN |
| GREENSCREEN | 0 | 0 | 0 | 4 | | SUNSCREEN |
| WESTCOAST/SEASCAPRE | 0 | 0 | 0 | 4 | | TRANSLUCENT |
| TWILIGHT | 0 | 0 | 0 | 4 | | BLOCKOUT |
| SILK/ SAKURA | 0 | 0 | 0 | 4 | | TRANSLUCENT |
| SILK / RETRO | 0 | 0 | 0 | 4 | | TRANSLUCENT |
| SILK / ELEGANCE | 0 | 0 | 0 | 4 | | TRANSLUCENT |
| NATURALS COLLECTION / FINE STRIPE | 0 | 0 | 0 | 4 | | TRANSLUCENT |
| ALLURE / SERENE TRANSLUCENT | 0 | 0 | 0 | 4 | | TRANSLUCENT |
| ULTRAVIEW™ / EXTRAVIEW | 0 | 0 | 0 | 5 | | SUNSCREEN |
| NOVASCREEN | 0 | 0 | 0 | 5 | | SUNSCREEN |
| ZIRCONIUM / JUPITER | 14 | 0 | 0 | 5 | | BLOCKOUT |
| TOPAZ / DRIFT | 0 | 0 | 0 | 5 | | SHEER |
| MERIDIEN™/ LATITUDE™ | 0 | 0 | 0 | 5 | | BLOCKOUT |
| PLAZA® PLUS | 0 | 0 | 0 | 5 | | BLOCKOUT |
| SERENE BLOCKOUT | 0 | 0 | 0 | 5 | | BLOCKOUT |
| ECOVIEW® PLUS | 0 | 0 | 0 | 6 | HD Tier 3: Complies with the General Requirements of the Building Code of Australia for Fire Hazard properties of materials in buildings. Not Suitable for use in parts of buildings with Special Requirements, i.e fire isolated exits; public corridors leading to a fire isolated stairway, passageway or ramp, a patient care area of health care buildings, and in public assembly buildings (eg theatre or | SUNSCREEN |
| SANITAGO COLLECTION - EMBOSS & REVOLVE | 5 | 9 | 3 | 7 | | TRANSLUCENT |
| NATURALS COLLECTION BAMBOO | 9 | 9 | 3 | 7 | | TRANSLUCENT |
| ELEMENTS | 5 | 9 | 3 | 7 | | BLOCKOUT |
| CARNABY BLOCKOUT | 13 | 0 | 2 | 7 | | BLOCKOUT |
| BALTIC BLOCKOUT | 13 | 0 | 2 | 7 | | BLOCKOUT |